

**Subject**: Preventive Services **Revision Date**: 6/25

**DESCRIPTION** 

The Affordable Care Act (ACA) requires non grandfathered health plans to cover evidence-based preventive care and screenings supported by the Health Resources and Services Administration (HRSA) department of Health and Human Services (HHS) when the services are rendered by an innetwork provider and/or facility. The OSU Health Plan's preventive service policy is based on these guidelines as well as recommendations by the U.S. Preventive Services Task Force.

Because the same procedure may be done for either a preventive screening, or as a diagnostic procedure, OSU Health Plan must rely on provider billing to accurately identify the service as preventive or diagnostic. This policy provides a coded guideline for claims administration and is not an all-inclusive list. Procedure and/or diagnosis codes can be updated as recommendations change, or additional codes become available. Please refer to the <u>Preventive Health Care Guidelines</u> available online for additional information.

**APPLICABILITY** 

This policy applies to all OSU Health Plan (OSUHP) benefit plans

**DEFINITIONS** 

<u>Modifier 33</u>: When the primary purpose of the service is the delivery of an evidence-based service in accordance with a U.S. Preventive Services Task Force A or B rating in effect and other preventive services identified in preventive services mandates (legislative or regulatory), the service may be

identified by adding 33 to the procedure. For separately reported services specifically identified as preventive, the modifier should not be used.

Preventive Health Services: Preventive health services are:

- Services with an "A" or "B" rating from the U.S. Preventive Services Task Force;
- Immunizations for children, adolescents and adults recommended by the Advisory

  Committee on Immunization Practices of the Centers for Disease Control and Prevention;
- Preventive care and screenings for infants, children and adolescents as provided for in the comprehensive guidelines supported by the Health Resources and Services Administration; and
- Additional preventive care and screening for women provided for in the comprehensive health plan coverage guidelines supported by the Health Resources and Services Administration.

#### **POLICY**

OSU Health Plan covers the CPT and HCPCS codes listed in the procedure section of this policy according to the preventive benefit as outlined in the plan document when billed with modifier 33 or one of the listed ICD-10 diagnosis code(s). Frequency limitations, age restrictions, and other guidance are specified in the 'Additional Comments' column.

Blood draws (CPT 36415) performed for a preventive service listed in this document will also be covered as preventive.

The services listed in the procedure section of this policy are based on the following guidelines:

- U.S. Preventive Services Task Force (USPSTF) services with an "A" or "B" rating; and
- Immunizations recommended by the Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC); and
- Preventive care and screening guidelines from the Health Resources and Services
   Administration (HRSA); and
- Applicable state and federal laws.

### **PROCEDURE**

The third-party administrator (TPA) will process the following codes according to the preventive benefit.

# **Screening for Pregnant Women:**

Service	Modifier 33 or	Procedure Code(s)	Additional Comments
	Diagnosis Code(s)		
	[ICD-10]		
Anemia Screening	Pregnancy Diagnosis <sup>i</sup>	80055, 80081, 85013,	
		85014, 85018	
Blood Pressure	Z13.6	99201, 99202, 99203,	Included in the prenatal
Screening		99204, 99205, 99211,	visits
		99212, 99213, 99214,	
		99215	
Breast Pump			Refer to MMPP 21.0
			Breast Pumps
Chlamydia Screening	Pregnancy Diagnosis <sup>i</sup> ,	86631, 86632, 87110,	
	Z01.419, Z11.3, Z11.59,	87270, 87320, 87490,	
	Z11.8, Z11.9, Z20.2, and/or Z72.5	87491, 87492, 87801,	
		87810, 0353U, 0455U	
Depression Screening		96160, 96161	Billed during newborn
			well visits
Folic Acid			Refer to Pharmacy
			Benefit Manager (PBM)

Gestational Diabetes	Pregnancy Diagnosis <sup>i</sup>	82947, 82948, 82950,	
Screening	and/or Z13.1	82951, 82952, 83036	
Gonorrhea Screening	Pregnancy Diagnosis <sup>i</sup> ,	87590, 87591, 87592,	
	Z01.419, Z11.2, Z11.3,	87801, 87850, 0353U,	
	Z11.9, and/or Z20.2	0455U	
Hepatitis B Screening	Pregnancy Diagnosis <sup>i</sup>	86705, 86705, 86706,	
		87467, 87340, 87341,	
		87516, 87517	
HIV Screening	Any diagnosis EXCEPT	86689, 86701, 86702,	
	HIV diagnosis (B20, Z21)	86703, 87389, 87390,	
	121)	87391, 87534, 87535,	
		87536, 87537, 87538,	
		87539, 87806, G0432,	
		G0433, G0435, G0475,	
		S3645	D C
Lactation Counseling			Refer to MMPP 20.0
			Lactation Counseling
Preeclampsia			Refer to Pharmacy
Prevention			Benefit Manager (PBM)
Prenatal Care	Pregnancy Diagnosis <sup>i</sup>	59425, 59426, 59430	
		H1000, H1001, H1002,	
		H1003, H1004, H1005	
Rh (antibody)	Pregnancy Diagnosis <sup>i</sup>	86901, 80055, 80081	
Incompatibility Testing			
Respiratory syncytial	Pregnancy Diagnosis <sup>i</sup>	90678	
virus (RSV)			

Syphilis Testing	Pregnancy Diagnosis <sup>i</sup> ,	86592, 86593, 86780,	
	Z01.419, Z11.2, Z11.3,	87164, 87166, 87285,	
	Z11.59, Z11.8, Z11.9,		
	and/or Z20.2	0065U, 0210U	
Tetanus, Diphtheria,	Pregnancy Diagnosis <sup>i</sup>	90471, 90472, 90715	Allow one dose during
Pertussis (TDaP)			pregnancy, regardless
Vaccine			of when last dosed
Urinalysis	Pregnancy Diagnosis <sup>i</sup>	81000, 81001, 81002,	
		81003, 81005, 81007,	
		81015, 81020	
Urine Culture	Pregnancy Diagnosis <sup>i</sup>	87081, 87086, 87088,	Limited to one test per
		P7001	pregnancy

### Women's Preventive Services:

Service	Modifier 33 or	Procedure Code(s)	Additional Comments
	Diagnosis Code(s)		
	[ICD-10]		
Breast Cancer		99401, 99402, 99403,	
Counseling		99404	
Breast Cancer	R92.30, R92.31,	76641, 76642, 77046,	Allow each service
Screening	R92.32, R92.33,	77047, 77048, 77049,	annually for women
(Mammography and	R92.34, Z12.31, Z12.39,		with no age
related screenings)	Z80.3, Z85.3	77063, 77067	restrictions if billed
			with a preventive
			diagnosis as
			primary.
Breast Cancer			Refer to Pharmacy
Preventive Medications			Benefit Manager (PBM)

Cervical Cancer	Z01.411, Z01.419,	88141, 88142, 88143,	Allow one per benefit
Screening (PAP Smear)	Z12.4	88147, 88148, 88150,	year.
		88152, 88153, 88154,	
		88155, 88164, 88165,	
		88166, 88167, 88174,	
		88175, G0123, G0124,	
		G0141, G0143, G0144,	
		G0145, G0147, G0148,	
		P3000, P3001, Q0091	
Contraceptive Methods			Refer to Birth Control
			Claim Processing
			guideline
Folic Acid			Refer to Pharmacy
			Benefit Manager (PBM)
Human Papilloma Virus	Z00.00, Z01.411, Z01.419,	87623, 87624, 87625,	Allow one per benefit
(HPV) DNA Testing	Z11.51, Z12.4	87626, 0463U, 0502U,	year.
		G0476	
Osteoporosis Screening	Z13.820, Z78.0, Z82.62	76977, 77078, 77080,	
(Bone Density)		77081, 77085, G0130	
Patient Navigation	R92.30, R92.31,	G0023, G0024	
Services for Breast and	R92.32, R92.33,		
Cervical Cancer	R92.34, Z01.411,		
Screening	Z01.419, Z12.31,		
	Z12.39, Z12.4, Z80.3,		
	Z85.3		
Urine Incontinence			Included in the
Screening			preventive
			wellness
			examination.

Well Woman Visit	99384, 99385, 99386,	Allow one per benefit
	99387, 99394, 99395,	year.
	99396, 99397, 99459,	
	G0101, G0402, G0438,	
	G0439, G0445, S0610,	
	S0612, S0613	

# Adult Preventive Services (Age 18 and older):

Service	Modifier 33 or	Procedure Code(s)	Additional Comments
	Diagnosis Code(s)		
	[ICD-10]		
Abdominal Aortic	F17.20-, F17.21-,	76706	Once per lifetime for
Aneurysm	F17.22-, F17.29-, Z13.6,		men ages 65 – 75 with
	Z87.891		a history of smoking.
Alcohol	F10.1-, F10.2-, F10.9-,	96156, 96158, 96159,	
Misuse	Z13.89	99401, 99402, 99403,	
Screening and		99404, 99408, 99409,	
Counseling		G0442, G0443, H0001,	
		H0049, H0050	
Anxiety Screening	Z13.3, Z13.89	96127, 96160, 96161,	
		99401, 99402, 99403,	
		99404	
Blood Pressure	Z13.6	99201, 99202, 99203,	Included in the
Screening		99204, 99205, 99211,	preventive
		99212, 99213, 99214,	wellness
		99215	examination.
BRCA Genetic Testing	Z80.0, Z80.3, Z80.41,	81212, 81215, 81216,	
	Z80.42	81217, 81162, 81163,	
		81164, 81165, 81166,	

		81167	
Cardiovascular Disease	I10, I11.0, I11.9, I15,	96156, 96158, 96159,	Included in E&M codes
(CVD) Counseling	I16, I20 I21, I22,	99401, 99402, 99403,	for preventive or
	123, 124, 125, 146.2,	99404, G0446, G0537,	problem-related visits.  Cover at 100% when
	I69, Z13.6, Z79.82,	G0538	not billed in
	Z82.4-, Z86.7-, Z95,		conjunction
Chilana dia Garantian	Z98.61	0//01 0//00 07110	with an E&M code.
Chlamydia Screening	Z01.419, Z11.2, Z11.3, Z11.59, Z11.8, Z11.9,	86631, 86632, 87110,	
	Z12.4, Z20.2, Z29.81,	87270, 87320, 87490,	
	and/or Z72.5	87491, 87492, 87801,	
		87810, 0353U, 0455U	
Cholesterol Screening	Z00.00, Z00.01, Z00.8,	80061, 82465, 83718,	
	Z13.220, Z13.6,	83719, 83721, 83722,	
	Z29.81, Z76.89	84478	
Colorectal Cancer			Refer to MMPP 39.0
Screening <sup>1</sup>			Colorectal Cancer
			Screening
Depression Screening	Z13.3, Z13.89	96127, 96160, 96161,	
		99401, 99402, 99403,	
		99404, G0444	
Diabetes (Type 2)	Z00.00, Z00.01, Z00.8,	82947, 82948, 82950,	
Screening	Z13.1, Z76.89	82951, 82952, 82962,	
		83036, 83037	

Domestic Violence	T74, T76, Z04.41,	96156, 96158, 96159,	Included in E&M codes
Screening	Z04.42, Z04.71, Z04.72, Z62, Z63, Z65, Z69, Z91.4-	98960, 99401, 99402, 99403, 99404	for preventive or problem-related visits.  Cover at 100% when not billed in
Falls Prevention	Z91.81	97161, 97162, 97163,	conjunction with an E&M code. Must be primary
		97164, 97165, 97166, 97167, 97168, 97110,	diagnosis. Allow ages 65 and older.
		97112, 97116, 97530, 97535	All other codes/diagnoses apply to standard PT/OT
Genetic Counseling for	Z80.0, Z80.3, Z80.41,	99401, 99402, 99403,	guidelines.
BRCA-related Cancer	Z80.42	99404, 96041, S0265	
Gonorrhea Infection Screening	Z01.419, Z11.2, Z11.3, Z11.59, Z11.8, Z11.9, Z12.4, Z20.2, Z29.81, and/or Z72.5	87590, 87591, 87592, 87801, 87850, 0455U	
Healthy diet and physical activity counseling	Z71.3, Z71.89, Z71.9	96156, 96158, 96159, 97802, 97803, 97804, 99201, 99202, 99203, 99204, 99205, 99211,	Refer also to MMPP 4.0 Nutritional Services for diagnoses and CPT codes covered at 100%

\_\_\_

<sup>&</sup>lt;sup>1</sup> Includes pathology exam, anesthesia services performed in connection with the colonoscopy and biopsy/pathology related to incidental polyp removal regardless of if billed as screening or not.

		99212, 99213, 99214,	for the initial three
		99215, 99401, 99402,	visits in a benefit year.
		99403, 99404, G0270,	
		G0271, G0446, G0447,	
		G0473, G9886, G9887	
Hearing Screening	Z00.110, Z00.111,	92551, 92552, 92553,	Included in E&M codes
	Z00.121, Z00.129,	92558, 92587, 92588,	for preventive visits.
	Z01.10, Z01.110,		Cover once between
	Z01.118	92650, 92651, 92652,	the ages of 18 - 21 at
		92653, V5008	100% when not billed in
			conjunction with a
			preventive E&M code.
Hepatitis B Infection	Z00.00, Z00.01, Z11.59,	80074, 86704, 86705,	
Screening	Z29.81, Z57.8	86706, 87467, 87340,	
		87341, 87516, 87517,	
		G0499	
Hepatitis C Infection	Any diagnosis <b>except</b>	80074, 86803, 86804,	
Screening	Hepatitis C (B17.10,	87520, 87521, 87522,	
	B17.11, B18.2, B19.20,	G0472	
	B19.21)		
HIV Infection	Any diagnosis EXCEPT	86689, 86701, 86702,	
Screening (Human	HIV diagnosis (B20,	86703, 87389, 87390,	
Immunodeficiency	Z21)		
Virus)		87391, 87534, 87535,	
		87536, 87537, 87538,	
		87539, 87806, G0432,	
		G0433, G0435, G0475,	
		S3645	

HIV Pre-exposure	Z29.81	80069, 81025, 82565,	Refer to Pharmacy
Prophylaxis		82575, 84520, 84525,	Benefit Manager (PBM)
		02073, 04020, 04020,	for medication coverage
		84540, 84545, 84702,	information.
		84703, 84704, 99401,	
		99402, 99403, 99404,	
		G0011, G0012, G0013,	
		J0739	
Lung Cancer Screening	F17.210, F17.211,	G0296, 71271	Allow one per benefit
	F17.213, F17.218,		year.
	F17.219, F17.290,		
	F17.291, F17.293,		
	F17.298, F17.299,		
	Z12.2, Z72.0, Z87.891		
Obesity Screening and	E66.01, E66.09, E66.1,	96156, 96158, 96159,	Included in the
Counseling	E66.2, E66.3, E66.8,	, , , , ,	preventive
	E66.9, Z13.89	97802, 97803, 97804,	wellness
	100.7, 210.07	98960, 99401, 99402,	examination.
		00402 00404 00411	exammation.
		99403, 99404, 99411,	
		99412	
Routine Physical Exam	Z00.00, Z00.01	99385, 99386, 99387,	Allow one exam per
		99395, 99396, 99397	benefit year.
Sexually Transmitted	Z01.419, Z11.3, Z11.4,	96156, 96158, 96159,	Included in the
Infection (STI)	Z11.51, Z20.2, Z20.6,	99401, 99402, 99403,	preventive
Counseling	Z22.4, Z29.81, Z70.1,		wellness
	Z70.3, Z70.8, Z72.51,	99404, G0445	examination.
	Z72.52, Z72.53, Z71.7,		
	Z71.89		
Skin Cancer			Included in E&M codes
Counseling			for preventive or
			problem-related
			visits.

Statins for the			Refer to Pharmacy
Prevention of			Benefit Manager (PBM)
Cardiovascular Disease			
Syphilis Infection	Z01.419, Z11.2, Z11.3,	86592, 86593, 86780,	
Screening	Z11.59, Z11.8, Z11.9,	87164, 87166, 87285	
	Z20.2, Z29.81	0.10.1, 0.100, 0.100	
Tobacco Use Screening	F17.200, F17.201,	96156, 96158, 96159,	
and Interventions	F17.203, F17.208,	99406, 99407, G9016,	
	F17.209, F17.210,	S9453	
	F17.211, F17.213,	0,100	
	F17.218, F17.219,		
	F17.220, F17.221,		
	F17.223, F17.228,		
	F17.229, F17.290,		
	F17.291, F17.293,		
	F17.298, F17.299,		
	Z87.891		
Tuberculosis Infection	Z11.1, Z20.1	86480, 86481, 86580,	
Screening		87555, 87556, 87557	

# Adult Preventive Immunizations (Age 18 and older):

Service	Modifier 33 or	Procedure Code(s)	Additional Comments
	Diagnosis Code(s)		
	[ICD-10]		
Administration		90380, 90381, 90460,	Covered as preventive
		90461, 90471, 90472,	when billed with any
		, , , , ,	of the vaccines listed
		90473, 90474, 90480,	in this chart.
		G0008, G0009, G0010,	
		M0201	

	Revenue Code 0771	
Anthrax	90581	Refer to ACIP guidelines.
Cholera	90625	One dose up to age 64.  Boosters are not covered. Refer to ACIP guidelines.
COVID-19	91304, 91318, 91319, 91320, 91321, 91322	guidennes.
Haemophilus Influenza	90644, 90647, 90648,	
Type B (HIB)	90697, 90698, 90748	
Hepatitis A	90632, 90636	
Hepatitis B	90636, 90739, 90740, 90746, 90747, 90748	
Herpes Zoster (Shingles)	90736, 90750	Age 50 and older
Human Papilloma Virus	90649, 90650, 90651	Allow three doses
(HPV)		through age 45
Influenza (Flu)	90653, 90655, 90656,	

	00057 00050 00000	
	90657, 90658, 90660,	
	90661, 90662, 90664,	
	90666, 90667, 90668,	
	90672, 90673, 90674,	
	90682, 90685, 90686,	
	90687, 90688, 90689,	
	90694, 90695, 90756,	
	Q2034, Q2035, Q2036,	
	Q2037, Q2038, Q2039	
Japanese encephalitis	90738	Refer to ACIP
		guidelines.
Measles, Mumps,	90707, 90710	
Rubella (MMR)		
Meningococcal	90619, 90620, 90621,	
(Meningitis)	90623, 90624, 90644,	
	90733, 90734	
Orthopoxviruses	90611, 90622	Refer to ACIP
(Smallpox, Monkeypox)		guidelines.
Pneumococcal	90670, 90671, 90677,	
(Pneumonia)	90732	
Rabies	90675, 90676	Refer to ACIP
		guidelines.
Respiratory syncytial	90678, 90679, 90683	One dose for ages 60
virus (RSV)		and older.
Tetanus, Diphtheria,	90715	
Pertussis (TDaP)		
Typhoid	90690, 90691	Refer to ACIP
		guidelines.

Varicella (Chickenpox)	90710, 90716, 90736,	
	90750	
Yellow Fever	90717	Refer to ACIP
		guidelines.

# Child and Adolescent Preventive Services (Birth - 18 years of age):

Service	Modifier 33 or	Procedure Code(s)	Additional Comments
	Diagnosis Code(s)		
	[ICD-10]		
Alcohol, Tobacco, and	F10.1-, F10.2-, F10.9-,	96156, 96158, 96159,	
Drug Use Screening	F17.2, Z13.89, Z71.5,	99401, 99402, 99403,	
and Counseling	Z71.6, Z72.0, Z77.2, Z81.2	99404, 99408, 99409, G0442, G0443, H0001,	
		H0049, H0050	
Anemia Screening		85014, 85018, 88738	Allow once during childhood. Screening
			usually performed at 12 months old.
Anxiety Screening	Z13.3, Z13.89	96127, 96160, 96161,	
		99401, 99402, 99403,	
		99404	
Autism Screening	Z00.121, Z00.129,	96110	Included in E&M codes
	Z13.4		for preventive or
			problem-related visits.
			Cover at 100% when
			billed alone.

Behavioral Screening	Z13.4, Z13.89	96127	Included in E&M codes
			for preventive or
			problem-related visits.
			Cover at 100% when
			billed alone.
Bilirubin Screening		82247, 82248	Allow once for newborn
			screening.
Blood Pressure	Z13.6	99201, 99202, 99203,	Included in the
Screening		99204, 99205, 99211,	preventive
		00010 00010 00014	wellness
		99212, 99213, 99214,	examination.
		99215	
Cervical Cancer	Z01.411, Z01.419,	88141, 88142, 88143,	Female only.
Screening (PAP Smear)	Z12.4	88147, 88148, 88150,	Allow one per benefit
		88152, 88153, 88154,	year.
		88155, 88164, 88165,	
		88166, 88167, 88174,	
		88175, G0123, G0124,	
		G0141, G0143, G0144,	
		G0145, G0147, G0148,	
		P3000, P3001, Q0091	
Chlamydia Screening	Z01.419, Z11.2, Z11.3,	86631, 86632, 87110,	
	Z11.59, Z11.8, Z11.9,	87270, 87320, 87490,	
	Z12.4, Z20.2, Z29.81,	07401 07402 07001	
	and/or Z72.5	87491, 87492, 87801,	
		87810, 0353U, 0455U	
Cholesterol Screening	Z00.00, Z00.01, Z00.8,	80061, 82465, 83718,	
	Z00.121, Z00.129,	83719, 83721, 83722,	
	Z13.220, Z13.6,	84478	
	Z29.81, Z76.89	84478	

Dental Caries		99188, 0792T	Also refer to Pharmacy
Prevention			Benefit Manager (PBM)
			for oral fluoride
			supplementation.
Depression Screening	Z13.3, Z13.89	96127, 96160, 96161,	
		99401, 99402, 99403,	
		99404, G0444	
Developmental	Z00.121, Z00.129,	96110, 96112, 96113,	Included in E&M codes
Screening	Z13.4	G0451	for preventive or
			problem-related visits.
			Cover at 100% when
			billed alone.
Gonorrhea Infection	Z01.419, Z11.2, Z11.3,	87590, 87591, 87592,	
Screening	Z11.59, Z11.8, Z11.9,	87801, 87850, 0455U	
	Z12.4, Z20.2, Z29.81,	07001, 07000, 01000	
	and/or Z72.5		
Gonorrhea Prophylactic			Included in delivery
Medication			
Hearing Screening	Z00.110, Z00.111,	92551, 92552, 92553,	Included in E&M codes
	Z00.121, Z00.129,	92558, 92587, 92588,	for preventive visits.
	Z01.10, Z01.110,		Cover at 100% when
	Z01.118	92650, 92651, 92652,	not billed in
		92653, V5008	conjunction
			with a preventive E&M
			code.
Height, Weight, and			Included in E&M codes
Body Mass Index (BMI)			for routine physical
Honotitio D Infortion	700 00 700 01 711 50	90074 96704 96705	exams.
Hepatitis B Infection	Z00.00, Z00.01, Z11.59,	80074, 86704, 86705,	
Screening	Z29.81, Z57.8	86706, 87467, 87340,	
		87341, 87516, 87517,	
		G0499	

HIV Infection	Any diagnosis EXCEPT	86689, 86701, 86702,	
Screening (Human	HIV diagnosis (B20,	86703, 87389, 87390,	
Immunodeficiency Virus)	Z21)	87391, 87534, 87535,	
virus)		87536, 87537, 87538,	
		87539, 87806, G0432,	
		G0433, G0435, G0475,	
		S3645	
HIV Pre-exposure	Z29.81	80069, 80074, 81025,	See Refer to Pharmacy
Prophylaxis		82565, 82575, 84520,	Benefit Manager (PBM) for medication
		84525, 84540, 84545,	coverage.
		84702, 84703, 84704,	
		86803, 86804, 87520,	
		87521, 87522, 99401,	
		99402, 99403, 99404,	
		G0011, G0012, G0013,	
		G0472, J0739	
Human Papilloma Virus	Z00.00, Z01.411, Z01.419,	87623, 87624, 87625,	Female only.
(HPV) DNA Testing	Z11.51, Z12.4	87626, 0463U, G0476	Allow one per benefit
Hypothyroidism	Z00.110, Z00.111	84437, 84443	year.
Trypouryroidisin	200.110, 200.111	04437, 04443	
Screening (Newborn)			
Iron Supplement			Refer to Pharmacy
			Benefit Manager (PBM)
Lead Screening	Z00.121, Z00.129,	83655	
	Z77.011		
Obesity Screening and	E66.01, E66.09, E66.1,	96156, 96158, 96159,	Included in the
Counseling	E66.2, E66.3, E66.8,	97802, 97803, 97804,	preventive wellness

	E66.9, Z13.89	98960, 99401, 99402,	examination.
		99403, 99404, 99411,	
		99412	
Oral Health Risk			Included in the
Assessment			preventive
			wellness
			examination.
PKU (Phenylketonuria)	Z00.110, Z00.111,	84030, S3620	
	Z00.121, Z00.129,		
	Z13.228		
Routine Physical	Z00.110, Z00.111,	99381, 99382, 99391,	Allow 12 visits:
Exams for Age 0 – 36 months	Z00.121, Z00.129	99392	• 1 visit 3-5 days after discharge
			• 1 visit at 1, 2, 4,
			• 1 VISIT at 1, 2, 4,
			6, 9, 12, 15, 18,
			24, 30, and 36
			months
Routine Physical	Z00.121, Z00.129	99383, 99384, 99393,	Allow one per benefit
Exams for Age 4 – 18		99394	year
years		77374	
Sexually Transmitted	Z01.419, Z11.3, Z11.4,	96156, 96158, 96159,	Included in the
Infection (STI)	Z11.51, Z20.2, Z20.6,	99401, 99402, 99403,	preventive
Counseling	Z22.4, Z29.81, Z70.1,		wellness
	Z70.3, Z70.8, Z72.51,	99404, G0445	examination.
	Z72.52, Z72.53, Z71.7,		
	Z71.89		
Sickle Cell Anemia and	Z00.110, Z00.111,	83020, 83021, 85660,	
Trait	Z00.121, Z00.129,	S3850	
(Hemoglobinopathies)	Z13.0		

Skin Cancer			Included in E&M codes
Counseling			for preventive or
			problem-related
			visits.
Syphilis Infection	Z01.419, Z11.2, Z11.3,	86592, 86593, 86780,	
Screening	Z11.59, Z11.8, Z11.9,	87164, 87166, 87285	
	Z20.2, Z29.81		
Tuberculosis Infection	Z11.1, Z20.1	86480, 86481, 86580,	
Screening		87555, 87556, 87557	
Vision Screening	Z00.121, Z00.129,	99172, 99173, 99174,	
	Z01.00, Z01.01	99177	

# Child and Adolescent Preventive Immunizations (Birth - 18 years of age):

Service	Modifier 33 or	Procedure Code(s)	Additional Comments
	Diagnosis Code(s)		
	[ICD-10]		
Administration		90380, 90381, 90460,	Covered as preventive
		90461, 90471, 90472,	when billed with any
			of the vaccines listed
		90473, 90474, 90480,	in this chart.
		G0008, G0009, G0010,	in this onart.
		M0201	
		Revenue Code 0771	
COVID-19		91304, 91318, 91319,	
		91320, 91321, 91322	
Dengue	A90, A91, A92.8	90584, 90587	Ages 9 – 16, Refer to
			ACIP guidelines.

Diphtheria, Tetanus,	90389, 90696, 90697,	
Pertussis	90698, 90700, 90702,	
	90714, 90715, 90723	
Haemophilus Influenza	90644, 90647, 90648,	
Type B (HIB)	90697, 90698, 90748	
Hepatitis A	90633, 90634	
Hepatitis B	90723, 90740, 90743,	
	90744, 90747, 90748	
Human Papilloma Virus	90649, 90650, 90651	Allow three doses up to
(HPV)		age 45
Influenza (Flu)	90653, 90655, 90656,	
	90657, 90658, 90660,	
	90661, 90662, 90664,	
	90666, 90667, 90668,	
	90672, 90673, 90674,	
	90682, 90685, 90686,	

	90687, 90688, 90689,	
	90694, 90695, 90756,	
	90094, 90093, 90730,	
	Q2034, Q2035, Q2036,	
	Q2037, Q2038, Q2039	
Japanese encephalitis	90738	Refer to ACIP
		guidelines.
Measles, Mumps,	90707, 90710	
Rubella (MMR)		
Meningococcal	90619, 90620, 90621,	
(Meningitis)	90624, 90644, 90733,	
	90734	
Pneumococcal	90670, 90671, 90677,	
(Pneumonia)	90732	
Polio	90696, 90697, 90698,	
	90713, 90723	
Rabies	90675, 90676	Refer to ACIP
		guidelines.
Rotavirus	90680, 90681	
Respiratory syncytial	90380, 90381	Allow one dose when
virus (RSV)		under 8 months of age.
		Allow one additional
		dose for ages 8 months
		– 19 months when
		authorized by OSU
		Health Plan.
Typhoid	90690, 90691	Refer to ACIP
		guidelines.
Varicella (Chickenpox)	90710, 90716, 90736,	
	90750	

Yellow Fever	90717	Refer to ACIP
		guidelines.

#### **EXCLUSIONS**

According to The Ohio State University Faculty and Staff Health Plans Specific Plan Details Document (SPD), the following services are not covered (this is not an all-inclusive list):

- Physicals and other medical services (e.g., vaccines, x-rays, labs, etc.) for administrative requirements such as immigration, licensure, adoption, marriage, employment, camp, sports, or school [e.g., ICD-10 codes Z02.0 – Z02.9]
- Preventive or routine maintenance treatment such as school or annual physicals received by an urgent care provider or convenient care clinic.

The following services are always considered diagnostic (not preventive) and are subject to plan deductible, coinsurance, and/or copay:

- Metabolic Panels
- Complete Blood Count (CBC)
- Prostate-Specific Antigen (PSA)
- Electrocardiography (ECG)
- General Health Panel

#### **CODES**

See PROCEDURE heading above for details.

#### **REFERENCES**

AAP. (2020). Recommendations for Preventive Pediatric Health Care. Retrieved from

#### https://downloads.aap.org/AAP/PDF/periodicity\_schedule.pdf

AAP Division of Health Care Finance. (2016). CPT code changes for health risk assessments take effect Jan. 1. Retrieved from <a href="https://www.aappublications.org/news/2016/11/04/Coding110416">https://www.aappublications.org/news/2016/11/04/Coding110416</a>

AN ACT relating to coverage for cancer detection. H.B. 52, Regular Session (2024).

Centers for Disease Control and Prevention. Immunization Schedules. Retrieved from https://www.cdc.gov/vaccines/schedules/index.html

CDC. (2023). ACIP Vaccine Recommendations and Guidelines. https://www.cdc.gov/vaccines/hcp/acip-recs/index.html

=pdf

Department of Labor. (n.d.) Affordable Care Act Implementation Frequently Asked

Questions. <a href="https://www.dol.gov/agencies/ebsa/laws-and-regulations/laws/affordable-care-act/for-employers-and-advisers/aca-implementation-faqs">https://www.dol.gov/agencies/ebsa/laws-and-regulations/laws/affordable-care-act/for-employers-and-advisers/aca-implementation-faqs</a>

HRSA. (2022). Women's Preventive Services Guidelines. <a href="https://www.hrsa.gov/womens-guidelines">https://www.hrsa.gov/womens-guidelines</a>

Published Recommendations. U.S. Preventive Services Task Force. Retrieved from <a href="https://www.uspreventiveservicestaskforce.org/BrowseRec/Index/browse-recommendations">https://www.uspreventiveservicestaskforce.org/BrowseRec/Index/browse-recommendations</a>

Regards screening mammography and dense breast tissue, H.B. 371, 134<sup>th</sup> General Assembly. (Ohio 2017). <a href="https://search-prod.lis.state.oh.us/solarapi/v1/general\_assembly\_134/bills/hb371/EN/06/hb371\_06\_EN?format">https://search-prod.lis.state.oh.us/solarapi/v1/general\_assembly\_134/bills/hb371/EN/06/hb371\_06\_EN?format</a>

The Ohio State University. (2024). Faculty and Staff Health Plans Specific Plan Details Document.

Retrieved from <a href="https://hr.osu.edu/wp-content/uploads/medical-spd.pdf">https://hr.osu.edu/wp-content/uploads/medical-spd.pdf</a>

The Ohio State University Health Plan. (2024). 2024 Preventive Health Care Guidelines. Retrieved from <a href="https://osuhealthplan.com/sites/default/files/2024-09/2024\_preventive\_health\_care\_guidelines\_0.pdf">https://osuhealthplan.com/sites/default/files/2024-09/2024\_preventive\_health\_care\_guidelines\_0.pdf</a>

<sup>i</sup> Pregnancy Diagnoses: O00 - O9A (all O ICD-10 codes), Z03.7, Z32 - Z36, Z3A